

TEST REPORT

No. : SHMR231102348701

Date : Jan 04, 2024

Page: 1 of 5

Verification:
check.sgs.com.cn

CUSTOMER NAME: HAINING JINDA COATING CO., LTD

ADDRESS: /

Sample Name : Tents
Product specification : WEIGHT:850g/m² THICKNESS:0.68mm
Product or Lot No. : JFS201-1
Others : white

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : SHIN2311008815PL01
Date of Receipt : Nov 24, 2023
Testing Start Date : Nov 24, 2023
Testing End Date : Jan 04, 2024
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services (Shanghai) Co., Ltd.

Crystal Wan
Authorized signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319

中国·上海·浦东康桥东路1159弄69号 邮编: 201319

t (86-21) 61196300 www.sgs.com.cn

t (86-21) 61196300 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

No. : SHMR231102348701

Date : Jan 04, 2024

Page: 2 of 5

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Light Ageing Test- Xenon-arc Exposure	GB/T 16422.2-2022 Method A Cycle 1	No visible crack, pulverization, deformation, blistering, obvious discoloration or other defects.	/

Note: Pass : Meet the requirements;
Fail : Does not meet the requirements;
/ : Not Apply to the judgment.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319
中国·上海·浦东康桥东路1159弄69号 邮编: 201319

t (86-21) 61196300 www.sgs.com.cn
t (86-21) 61196300 sgs.china@sgs.com

TEST REPORT

No. : SHMR231102348701

Date : Jan 04, 2024

Page: 3 of 5

Test Item: Light Ageing Test-Xenon-arc Exposure

Sample Description: Sheet

Test Method: GB/T 16422.2-2022 Method A Cycle 1

Test Condition:

Exposure cycle:

Irradiance: $(0.51 \pm 0.02) \text{ W}/(\text{m}^2 \cdot \text{nm}) @ 340 \text{ nm}$

102 min light at $(65 \pm 3)^\circ \text{C}$ BST, $(38 \pm 3)^\circ \text{C}$ CT, $(50 \pm 10)\% \text{RH}$

18 min light and water spray

Filter: Boro/Boro

Exposure period: 800h

Lab Environment: $(23 \pm 2)^\circ \text{C}$, $(50 \pm 5)\% \text{RH}$

Test Result:

Sample	Appearance
A	No visible crack, pulverization, deformation, blistering, obvious discoloration or other defects.

Note:

- The results were carried out within 1 hour after above specified durations for the intermediate inspection as well as at the end of the exposure.
- Test specimens were cut from the sample.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319
中国·上海·浦东康桥东路1159弄69号 邮编: 201319

t (86-21) 61196300 www.sgs.com.cn
t (86-21) 61196300 sgs.china@sgs.com


TEST REPORT

No. : SHMR231102348701


Date : Jan 04, 2024

Page: 4 of 5

Test Photo:



Original sample A



Reference sample Test sample
Before Test

Reference sample Test sample
After Test

TEST REPORT

No. : SHMR231102348701

Date : Jan 04, 2024

Page: 5 of 5

Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
XENON Arc Weather-Ometer	Ci5000	P-652	2023-03-14	2024-03-13

Appendix information:

In the territory of the People's Republic of China, the test report without CMA logo expresses the test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc., and just for client internal reference.

***** End of report*****



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319
中国·上海·浦东康桥东路1159弄69号 邮编: 201319

t (86-21) 61196300 www.sgsgroup.com.cn
t (86-21) 61196300 sgs.china@sgs.com